

STATE OF ALASKA

**SARAH PALIN,
GOVERNOR**

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF MINING, LAND AND WATER
SOUTHCENTRAL REGION LAND OFFICE

550 WEST 7TH AVENUE, SUITE 900C
ANCHORAGE, ALASKA 99501-3577
PHONE: (907) 269-8503
FAX: (907) 269-8913

July 20, 2007

Homer Electric Association, Inc.
Claudia Furlong, Land Management Officer
280 Airport Way
Kenai, AK 99611

Subject: ADL 230046
Section 12, Township 3 North, Range 12 West, Seward Meridian
Public Utility Easement
Start of ACMP Review

Dear Ms. Furlong:

The Department of Natural Resources (DNR), Division of Mining, Land and Water (DMLW), has received the Coastal Project Questionnaire and consistency certification, application, and supporting information you submitted for the proposed project. The proposed activity is within the coastal zone of Alaska and will be reviewed as required under the Alaska Coastal Management Program (ACMP) (AS 46.40). This letter initiates the State of Alaska review of this proposed project under the schedule and process described in State regulations (11 AAC 110).

The project subject to this consistency review is for a public utility easement. The location is within Section 12, Township 3 North, Range 12 West, Seward Meridian.

No State or federal authorization can be issued until after the final consistency finding is completed. The DNR authorization will contain the stipulations that are required for the project to be consistent with the State standards and district policies of the ACMP as well as those required by other statutes and regulations. Please note that a final consistency determination does not obligate DNR to issue an authorization under AS 38.05 or 46.15, nor does it supercede the statutory obligations thereunder. **You may not proceed with any specific land use activity or appropriate water on State lands until you have received the applicable authorization.**


DMLW, as the coordinating agency, has distributed the packet of information you submitted to the following review participants: Alaska Departments of Environmental Conservation and Fish and Game, the Office of Project Management and Permitting (OPMP), the Kenai Peninsula Borough Coastal District, as well as other interested parties (see enclosed distribution list). A notice posted on July 20, 2007 on the DNR website (www.dnr.state.ak.us/pic/pubnotfrm) and in sites noted on the public notice posted on July 20, 2007 informed the public of the proposed project.

The project will be reviewed under a 30 day review schedule. Deadlines are established for additional information requests, receipt of comments, and the issuance of proposed and final determinations, and are listed on the enclosed project information sheet. Reviewers' comments must be submitted to DNR on or before 5:00 p.m., on August 6, 2007. Comments may include proposals to modify the project, to bring it into compliance with the ACMP. DNR will review and integrate any comments received and issue a proposed consistency determination. The proposed determination will notify you of any modifications that will be required to obtain consistency with the ACMP for this project. Review participants have five days from receipt of the proposed determination to appeal the decision by requesting an elevation of the decision.

By a copy of this letter I am informing the State agencies that DNR has begun its consistency review.

If you have any questions or concerns please do not hesitate to contact me at (907) 269-8556.

Sincerely,



Peter Boyer
Project Review Coordinator

Enclosures: Project Data Sheet, Public Notice, Distribution List, ACMP Single Agency Review Letter, Application for Easement, Coastal Project Questionnaire and Certification Statement, Environmental Risk Questionnaire, Maps of Area.

STATE OF ALASKA

**SARAH PALIN,
GOVERNOR**

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF MINING, LAND AND WATER
SOUTHCENTRAL REGION LAND OFFICE

550 WEST 7TH AVENUE, SUITE 900C
ANCHORAGE, ALASKA 99501-3577
PHONE: (907) 269-8503
FAX: (907) 269-8913

PROJECT DATA SHEET

SUBJECT: Single Agency ACMP Review
And Agency Review

DATE: July 20, 2007

FILE TYPE: ADL 230046, Public Utility Easement

FROM: Division of Mining, Land, and Water

TELEPHONE: 907-269-8556

FAX: 907-269-8913

Please review the attached application for consistency with the Alaska Coastal Management Program (ACMP) as well as for easements issued by the Department of Natural Resources, Division of Mining, Land and Water (DNR, DMLW).

Comments on the proposed project's consistency with the statewide standards of the ACMP specified in 11 AAC 112 and/or the enforceable policies of the Kenai Peninsula Borough Coastal Management Plan may be submitted, in addition to comments on the easement authorization proposed for issuance under AS 38.05.850 (please see attached). All comments must be submitted in writing.

A copy of this review packet is available for public inspection and copying by contacting Kenai Peninsula Borough Coastal Management Program Coordinator Gary Williams, Kenai River Center, 514 Funny River Road, Soldotna, AK 99669, phone (907) 714-2216.

APPLICANT: Homer Electric Association

SCOPE OF PROJECT TO BE REVIEWED: The Department of Natural Resources, Division of Mining, Land and Water, Southcentral Region Office is considering the issuance of a public utility easement for an existing electric transmission line, 42 feet in width, and 1,200 feet in length, containing 1.16 acres, more or less, situated on State land within Section 12, Township 3 North, Range 12 West, Seward Meridian. The purpose of this application is to bring an existing electric transmission line into compliance with the state's regulations.

PROJECT LOCATION: Approximately 2 miles north of Kasilof.
Coastal District: Kenai Peninsula Borough

ACMP REVIEW SCHEDULE:
30 Day

ACMP REVIEW MILESTONES:
Request for additional information: August 2, 2007
Comment Deadline: August 6, 2007
Proposed Determination: August 14, 2007
Final Determination: August 20, 2007

ACMP Comments concerning the action proposed must be submitted to the attention of Peter Boyer **prior to 5:00 p.m. August 6, 2007**. ACMP comments must pertain to the statewide standards specified in 11 AAC 112 or to the enforceable policies of the Kenai Peninsula Borough Coastal Management Plan in order to be considered.

Comments concerning the proposed **public utility easement** pursuant to AS 38.05.850 must be submitted to the attention of Peter Boyer **prior to 5:00 p.m. August 20, 2007**. See attached Courtesy Notice for this project.

Contact Information: Peter Boyer, Department of Natural Resources, Division of Mining, Land and Water, Southcentral Region Office, 550 W. 7th Ave., Suite 900 C, Anchorage, AK 99501-3577, phone (907) 269-8575, fax (907) 269-8913, e-mail: peter.boyer@alaska.gov.

Distributed for posting at the following post offices on May 3, 2007: 23758 Kalifornsky Rd., Kasilof, AK; 65790 Sterling Hwy, Clam Gulch, AK; 175 N. Binkley St., Soldotna, AK.

State of Alaska
Department of Natural Resources
Division of Mining, Land & Water
Southcentral Region Land Office
550 W. 7th Ave., Suite 900C
Anchorage, AK 99501-3577

Courtesy Public Notice

ADL 230046
Public Utility Easement
USGS 1:63,360 Quad Map Kenai B-4

In accordance with the provisions of AS 38.05.850, the Department of Natural Resources, Division of Mining, Land and Water, Southcentral Region Office is considering the issuance of a public utility easement for an existing electric transmission line, 42 feet wide, and 1,200 feet in length, containing 1.16 acres, more or less, situated on State land within Section 12, Township 3 North, Range 12 West, Seward Meridian.

Members of the public and interested parties are invited to comment on this proposal. The Division of Mining, Land and Water must receive written comments addressed to the attention of Peter Boyer, Department of Natural Resources, Division of Mining, Land and Water, Southcentral Region Office, 550 W. 7th Avenue, Suite 900 C, Anchorage, Alaska 99501-3557 **no later than 5:00 p.m. August 20, 2007**. Comments may be faxed to (907) 269-8913, or emailed to peter.boyer@alaska.gov. In order to be given full consideration, all comments should clearly explain the facts on which they are based and how they pertain to the action proposed. All responses will be reviewed following the comment deadline. The Department's proposed decision on this matter may be modified as a result of information received. Questions may be directed to the attention of Peter Boyer: telephone (907) 269-8556.

This easement proposal is also currently under review for consistency with the State standards and local enforceable policies of the Alaska Coastal Management Program. A copy of the ACMP review packet is available for public inspection and copying by contacting the Kenai Peninsula Borough ACMP Coordinator. Comments regarding ACMP consistency must be submitted in writing to the attention of Peter Boyer at the address above **no later than August 6, 2007**.

The State of Alaska Department of Natural Resources complies with Title II of the Americans with Disabilities Act of 1990. Individuals with disabilities who may need auxiliary aids, services, or special modifications to participate may contact the TDD number at (907) 269-8422. Copies of the Alaska Statute referenced above may be accessed on line by searching the State of Alaska Legislature's Website at www.legis.state.ak.us/folhome.htm. Additional information potentially applicable to this

proposal is available in the Kenai Area Plan for State Lands, available on-line at www.dnr.state.ak.us/mlw/planning/areaplans/kenai/index.htm.

The Division of Mining, Land and Water, Southcentral Region Office reserves the right to waive technical defects in this notice.

/s/Clark Cox
Acting Regional Manager
Southcentral Region Office
Division of Mining, Land and Water

**KENAI PENINSULA BOROUGH
DISTRIBUTION LIST**

July 20, 2007

Enclosure: PIS and Backup Material

William Ashton, DEC
Gary Williams, Coastal District Coordinator, KPB
Gary Sonnevil, Field Supervisor, US Fish and Wildlife Service, Kenai
Jane Gabler, KPB, Soldotna
Ashley Reed ACMP Liaison, DMLW, Anchorage
Lee McKinley, DNR/OHMP, Soldotna
Amber Wheat, DNR/OHMP, Soldotna
Ginny Litchfield, DNR/OHMP, Soldotna
Pamela Russell, Kenai River Center
Jackie Hewett, Kenai River Center, Soldotna
Linda Markham, DOT/PF, Anchorage
Bill Sheffield, Port of Anchorage, Anchorage
Margie Goatley, DNR/SHPO, Anchorage
Mark Fink, DFG, Anchorage
Ellen Simpson, DFG, Anchorage
[?][USACE Regulatory Branch]

Enclosure: PIS (Backup Material on Request)

Celina Sumner, Seward Phoenix Log, Seward
Brenda Trefon, Kenaitze Indian Tribe, IRA
Jeni Evans, USFS Seward Ranger District, Seward
Bob Shavelson, Cook Inlet Keeper, Homer
Gary Porter, Bald Mountain Scientific
Jeanne Hanson, NMFS
Glen Yankus, NPS, Anchorage
Joe Meade, USFS
Mark Luttrell, President, Resurrection Bay Conservation Alliance, Seward
Mona Painter, Cooper Landing Community Club, Cooper Landing
Phil North, EPA, Kenai
Rick Rogers, Chugach Alaska Corporation, Anchorage
Rob Spangler, USFS
Robert L. Baldwin, FOCL, Cooper Landing
Andrew McCarthy, National Park Service
Randi Iverson, Alaska's Sadie Cove Wilderness Lodge
Michele Powdrill, DNR/OPMP, Juneau
Violet Yeaton, Port Graham VM Council
Chief Pat Norman, Port Graham.

STATE OF ALASKA

**SARAH PALIN
GOVERNOR**

**DEPARTMENT OF NATURAL RESOURCES
OFFICE OF PROJECT MANAGEMENT AND PERMITTING
ALASKA COASTAL MANAGEMENT PROGRAM**

SOUTHCENTRAL REGIONAL OFFICE
550 W 7th AVENUE SUITE 705
ANCHORAGE, ALASKA 99501
PH: (907) 269-7470 FAX: (907) 269-3981

☐ CENTRAL OFFICE
P.O. Box 111030
JUNEAU, ALASKA 99811-1030
PH: (907) 465-3562 FAX: (907) 465-3075

☐ PIPELINE COORDINATOR'S OFFICE
411 WEST 4TH AVENUE, SUITE 2C
ANCHORAGE, ALASKA 99501
PH: (907) 2857-1351 FAX: (907) 272-3829

July 16, 2007

Homer Electric Association
280 Airport Way
Kenai, AK 99611
Attention: Ms. Claudia Furlong

SUBJECT: SINGLE AGENCY REVIEW

To replace 3 overhead electric lines across the Kasilof River
And retire single pole structure, install 3 pole structure w/ anchor pockets
ID2007-0344AA, POA-2007-1022-D

Dear Ms. Furlong:

The Office of Project Management & Permitting (OPMP) has reviewed the Coastal Project Questionnaire and other pertinent information regarding the above referenced project.

The U.S. Army Corps of Engineers (COE) has authorized activities included in your proposed project under Nationwide Permit (NWP) #12, Utility Line Activity. The activities authorized under this NWP, as modified by the Regional Conditions, are consistent with the Alaska Coastal Management Program (ACMP). The COE has provided you with a copy of the NWP and the associated regional conditions with which your project must comply.


Based on the information that you have supplied, your project also requires authorization from DNR, Division of Mining, Land and Water. The DNR, DMLW office will be responsible for coordinating a review of your project for consistency with the ACMP. Your contact will be Mr. Peter Boyer, Natural Resource Specialist II. You may reach him at (907)269-8556.

This decision is ONLY for the proposed project as described. If any changes to the project are proposed, including its intended use, prior to or during its siting, construction, or operation, you must contact this office immediately to determine if further review and approval of the revised project is necessary.

Thank you for your continued cooperation with the ACMP.

"Develop, Conserve, and Enhance Natural Resources for Present and Future Alaskans."

Sincerely,

A handwritten signature in black ink that reads "Christine Ballard". The signature is written in a cursive, flowing style.

Christine Ballard
Project Review Assistant

Enc.: Pg. 1&2 CPQ

cc:

William Ashton, DEC/ Anchorage
Gary Williams, Coastal District Coordinator, KPB
Kathy Luttio ACMP Liaison, DMLW, Anchorage
Peter Boyer, DMLW, Anchorage
Lee McKinley, DNR/OHMP, Soldotna
Margie Goatley, DNR/SHPO, Anchorage
Mark Fink, DFG, Anchorage
Ellen Simpson, DFG, Anchorage
Dave Casey, USACE Regulatory Branch
Forrest McDaniel, USACE Regulatory Branch
Reece James, USACE Regulatory Branch

**STATE OF ALASKA DEPARTMENT OF NATURAL RESOURCES
DIVISION OF MINING, LAND AND WATER**

Northern Region
3700 Airport Way
Fairbanks, AK 99709
(907) 451-2740

Southcentral Region
550 W 7th Ave., Suite 900C
Anchorage, AK 99501-3577
(907) 269-8552

Southeast Region
400 Willoughby, #400
Juneau, AK 99801
(907) 465-3400

**APPLICATION FOR EASEMENT
AS 38.05.850**

Non-refundable application fee: \$100*

ADL # 230046
(to be filled in by state)

Applicant's Name HOMER ELECTRIC ASSOC. Doing business as: SAME

Mailing Address 280 AIRPORT WAY E-Mail: CFurlong@homer

City/State/Zip Kenai, AK 99647 electric-com

Message Phone (907) 398-6107 Work Phone (907) 283-2350 Soc. Sec. # and/or Tax ID # _____

Is applicant a nonprofit cooperative association? [] yes [] no. If yes, are you applying for an exemption under AS 38.05.850(b)? [] yes [] no. If yes, please submit proof of nonprofit status (e.g. by-laws, articles of incorporation, tax statement).

Location of activity/Legal Description: Municipality _____, Meridian Seward
Township 3N, Range 12W, Section 12, _____ 1/4, _____ 1/4
Township _____, Range _____, Section _____, _____ 1/4, _____ 1/4


(attach extra sheets as needed)

Total length of applied-for easement (feet): 164' Total width of applied-for easement (feet): 42'
Acres encompassed by easement: _____ (43,560 square feet = 1 acre)

Specific purpose of easement (e.g. electric utility, fiber-optic conduit or cable, telecommunications tower, road, bridge, airstrip/airport, driveway, trail, drainage), and type of anticipated traffic (e.g. plane, truck, heavy equipment): Explain _____
Electric Utility

Are you applying for the Division of Mining, Land and Water to reserve a Public Easement? Yes No Are you applying to be granted a Private Easement? Yes No . (Note: Annual rental fee required for private easement)

*See 11 AAC 05.010 regarding fees for federal, state, and local government agencies



State briefly the standards and methods of construction: e.g. regulated standards, winter trail, dirt trail, gravel road, paved road, etc.; clearing by hand, clearing/construction by mechanical equipment (state type of equipment to be used, e.g. J.D. 350, 944 F.E. loader, hydro-axe, D-8), or establishment by use only. _____

Is this an existing use? Yes No . If yes, provide documentation verifying existing use, such as easement atlas, affidavits attesting to use and existence, pictures, etc.

Construction to begin: 4/1/2007
Construction to be completed by: 6/30/2007

Other permits or authorizations applied for in conjunction with this proposed project: _____
CORP OF ENGINEERS
KENAS PENINSULA BOROUGH

If this authorization is granted, I agree to construct and maintain the improvements authorized in a workmanlike manner, and to keep the area in a neat and sanitary condition; to comply with all the laws, rules, and regulations pertaining thereto; and provided further that upon termination of the easement for which application is being made, I agree to remove or relocate the improvements and restore the area without cost to the state and to the satisfaction of the Director of the Division of Mining, Land and Water.

Clonisha Furlong
Applicant's Signature

2/28/2007
Date

INSTRUCTIONS: Attach a USGS map (scale of 1:63,360) or a state status plat showing the location of the proposed easement, and an environmental risk assessment questionnaire (form 102-4008A).

The final granting of a private easement or reservation of a public easement will be contingent upon our receipt of a plat depicting the post-construction location of the improvements. If your application is approved, instructions for the completion of the plat will be provided to you, or can be picked up at any of our offices.

AS 38.05.035(a) authorizes the director to decide what information is needed to process an application for the sale or use of state land and resources. This information is made a part of the state public land records and becomes public information under AS 40.25.110 and 40.25.120 (unless the information qualifies for confidentiality under AS 38.05.035(a)(9) and confidentiality is requested). Public information is open to inspection by you or any member of the public. A person who is the subject of the information may challenge its accuracy or completeness under AS 44.99.310, by giving a written description of the challenged information, the changes needed to correct it, and a name and address where the person can be reached. False statements made in an application for a benefit are punishable under AS 11.56.210.

STATE OF ALASKA DEPARTMENT OF NATURAL RESOURCES
DIVISION OF MINING, LAND AND WATER

Contract Administration
550 W 7th Ave., Suite 640
Anchorage, AK 99501-3576
(907) 269-8594

Northern Region
3700 Airport Way
Fairbanks, AK 99709
(907) 451-2740

Southcentral Region
550 W 7th Ave., Suite 900C
Anchorage, AK 99501-3577
(907) 269-8552

Southeast Region
400 Willoughby, #400
Juneau, AK 99801
(907) 465-3400

APPLICANT ENVIRONMENTAL RISK QUESTIONNAIRE

The purpose of this questionnaire is to help clarify the types of activities you propose to undertake. The questions are meant to help identify the level of environmental risk that may be associated with the proposed activity. The Division of Mining, Land and Water's evaluation of environmental risk for the proposed activity does not imply that the parcel or the proposed activity is an environmental risk from the presence or use of hazardous substances.

Through this analysis, you may become aware of environmental risks that you did not know about. If so, you may want to consult with an environmental engineer or an attorney.

Homer Electric Assoc, Inc
Applicant's Name Doing Business As

280 AIRPORT WAY KENAI AK 9964
Address City State Zip

(907) 398-6107 (907) 283-2350 cFurlong@homerelctric.com STANBIA FURLONG
Message Phone Work Phone E-Mail Contact Person

Describe the proposed activity:

Replacing 3ph overhead across the Kaslof River and
Retire single pole structure and install a three pole
structure w/ anchor packets.

In the course of your proposed activity will you generate, use, store, transport, dispose of, or otherwise come in contact with toxic and/or hazardous materials, and/or hydrocarbons? Yes No

If yes, please list the substances and the associated quantities. Use a separate sheet of paper, if necessary.

If the proposed activities involve any storage tanks, either above or below ground, address the following questions for each tank. Please use a separate sheet of paper, if necessary, and, where appropriate, include maps or plats:

a. Where will the tank be located? _____

b. What will be stored in the tank? _____

c. What will be the tank's size in gallons? _____

d. What will the tank be used for? (Commercial or residential purposes?) _____

e. Will the tank be tested for leaks? _____

f. Will the tank be equipped with leak detection devices? Yes No . If yes, describe: _____

Do you know or have any reason to suspect that the site may have been previously contaminated? Yes No

If yes, please explain: _____

I certify that due diligence has been exercised and proper inquiries made in completing this questionnaire, and that the foregoing is true and correct to the best of my knowledge.

Claudia Finley
Applicant

2/28/2007
Date

AS 38.05.035(a) authorizes the director to decide what information is needed to process an application for the sale or use of state land and resources. This information is made a part of the state public land records and becomes public information under AS 09.25.110 and 09.25.120 (unless the information qualifies for confidentiality under AS 38.05.035(a)(9) and confidentiality is requested). Public information is open to inspection by you or any member of the public. A person who is the subject of the information may challenge its accuracy or completeness under AS 44.99.310, by giving a written description of the challenged information, the changes needed to correct it, and a name and address where the person can be reached. False statements made in an application for a benefit are punishable under AS 11.56.210.

RECEIVED

MAR 9 2007

DNR PUBLIC INFO CENTER

Coastal Project Questionnaire and Certification Statement

Please answer all questions. To avoid a delay in processing, please call the department if you answer "yes" to any of the questions related to that department. Maps and plan drawings must be included with your packet.
An incomplete packet will be returned.

■ APPLICANT INFORMATION

1. HOMER ELECTRIC ASSOC, INC.

Name of Applicant	Agent (or responsible party if other than applicant)
280 AIRPORT WAY	
KENAI, AK	Address
99644	City/State State Zip Code Zip Code
907-283-2350	Daytime Phone
907-335-6219	Daytime Phone
	Fax Number E-mail Address
	Fax Number E-mail Address

■ PROJECT INFORMATION

1. This activity is a: new project modification or addition to an existing project Yes No
 If a modification, do you currently have any State, federal or local approvals related to this activity? ie. MAINTENANCE
Note: Approval means any form of authorization. If "yes," please list below:

Approval Type	Approval #	Issuance Date	Expiration Date

2. If a modification, has this project ever been reviewed by the State of Alaska under the ACMP?
 Previous State I.D. Number: AK _____ Previous Project _____

Name: _____

■ PROJECT DESCRIPTION

1. Provide a brief description of your entire project and ALL associated facilities and land use conversions. Attach additional sheet(s) as needed.
Replacing 3ph OVERHEAD ACROSS THE KASIAF RIVER AND
RETIRE SINGLE POLE STRUCTURE AND INSTALL A THREE POLE
STRUCTURE W/ ANCHOR POCKETS.
 Proposed starting date for project: 4/1/2007 Proposed ending date for project: 6/30/2007

2. Attach the following: • a detailed description of the project, all associated facilities, and land use conversions, etc. (Be specific, including access roads, caretaker facilities, waste disposal sites, etc.); • a project timeline for completion of all major activities in the proposal; • a site plan depicting property boundary with all proposed actions; • other supporting documentation that would facilitate review of the project. Note: If the project is a modification, identify existing facilities as well as proposed changes on the site plan.

PROJECT LOCATION

1. Attach a copy of the topographical and vicinity map clearly indicating the location of the project. Please include a map title and scale.
2. The project is located in which region (see attached map): Northern Southcentral Southeast
 within or associated with the Trans-Alaska Pipeline corridor
3. Location of project (Include the name of the nearest land feature or body of water.) _____
 Township 3N Range 12W Section 12 Meridian 3W Latitude/Longitude _____ / _____ USGS Quad Map _____
4. Is the project located in a coastal district? Yes No If yes, identify: _____
(Coastal districts are a municipality or borough, home rule or first class city, second class with planning, or coastal resource service area.) Note: A coastal district is a participant in the State's consistency review process. It is possible for the State review to be adjusted to accommodate a local permitting public hearing. Early interaction with the district is important; please contact the district representative listed on the attached contact list.
5. Identify the communities closest to your project location: KASLOP
6. The project is on: State land or water* Federal land Private land
 Municipal land Mental Health Trust land
**State land can be uplands, tidelands, or submerged lands to 3 miles offshore. See Question #1 in DNR section. Contact the applicable landowner(s) to obtain necessary authorizations.*

DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) APPROVALS

- | | Yes | No |
|---|--------------------------|-------------------------------------|
| 1. Will a discharge of wastewater from industrial or commercial operations occur? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Will the discharge be connected to an already approved sewer system? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Will the project include a stormwater collection/discharge system? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 2. Do you intend to construct, install, modify, or use any part of a wastewater (sewage or greywater) disposal system? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| a) If so, will the discharge be 500 gallons per day or greater? | <input type="checkbox"/> | <input type="checkbox"/> |
| b) If constructing a domestic wastewater treatment or disposal system, will the system be located within fill material requiring a COE permit? | <input type="checkbox"/> | <input type="checkbox"/> |
| If you answered yes to a) or b), answer the following: | | |
| 1) What is the distance from the bottom of the system to the top of the subsurface water table? _____ | | |
| 2) How far is any part of the wastewater disposal system from the nearest surface water? _____ | | |
| 3) Is the surrounding area inundated with water at any time of the year? | <input type="checkbox"/> | <input type="checkbox"/> |
| 4) How big is the fill area to be used for the absorption system? _____ | | |
| <i>(Questions 1 & 2 will be used by DEC to determine whether separation distances are being met; Questions 3 & 4 relate to the required size of the fill if wetlands are involved.)</i> | | |
| 3. Do you expect to request a mixing zone for your proposed project? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| <i>(If your wastewater discharge will exceed Alaska water quality standards, you may apply for a mixing zone. If so, please contact DEC to discuss information required under 18 AAC 70.032.)</i> | | |

- | | Yes | No |
|--|--------------------------|-------------------------------------|
| 4. a) Will your project result in the construction, operation, or closure of a facility for the disposal of solid waste?
<i>(Note: Solid waste means drilling wastes, household garbage, refuse, sludge, construction or demolition wastes, industrial solid waste, asbestos, and other discarded, abandoned, or unwanted solid or semi-solid material, whether or not subject to decomposition, originating from any source. Disposal means placement of solid waste on land.)</i> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) Will your project result in the treatment of solid waste at the site?.....
<i>(Examples of treatment methods include, but are not limited to: incineration, open burning, baling, and composting.)</i> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) Will your project result in the storage or transfer of solid waste at the site?..... | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) Will the project result in the storage of more than 50 tons of materials for reuse, recycling, or resource recovery?..... | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| e) Will any sewage solids or biosolids be disposed of or land-applied to the site?
<i>(Sewage solids include wastes that have been removed from a wastewater treatment plant system, such as a septic tank, lagoon dredge, or wastewater treatment sludge that contain no free liquids. Biosolids are the solid, semi-solid, or liquid residues produced during the treatment of domestic sewage in a treatment works which are land applied for beneficial use.)</i> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 5. Will your project require the application of oil, pesticides, and/or any other broadcast chemicals? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 6. a) Will you have a facility with industrial processes that are designed to process no less than five tons per hour and needs air pollution controls to comply with State emission standards? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) Will you have stationary or transportable fuel burning equipment, including flares, with a total fuel consumption capacity no less than 50 million Btu/hour?..... | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) Will you have a facility with incinerators having a total charging capacity of no less than 1,000 pounds per hour?..... | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) Will you have a facility with equipment or processes that are subject to Federal New Source Performance Standards or National Emission Standards for hazardous air pollutants? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| i) Will you propose exhaust stack injection?..... | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| e) Will you have a facility with the potential to emit no less than 100 tons per year of any regulated air contaminant?..... | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| f) Will you have a facility with the potential to emit no less than 10 tons per year of any hazardous air contaminant or 25 tons per year of all hazardous air contaminants?..... | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| g) Will you construct or add stationary or transportable fuel burning equipment of no less than 10 million Btu/hour in the City of Unalaska or the City of St. Paul? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| h) Will you construct or modify in the Port of Anchorage a volatile liquid storage tank with a volume no less than 9,000 barrels, or a volatile liquid loading rack with a design throughput no less than 15 million gallons? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| i) Will you be requesting operational or physical limits designed to reduce emissions from an existing facility in an air quality nonattainment area to offset an emission increase from another new or modified facility? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 7. Will you be developing, constructing, installing, or altering a public water system? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 8. a) Will your project involve the operation of waterborne tank vessels or oil barges that carry crude or non-crude oil as bulk cargo, or the transfer of oil or other petroleum products to or from such a vessel or a pipeline system?..... | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) Will your project require or include onshore or offshore oil facilities with an effective aggregate storage capacity of greater than 5,000 barrels of crude oil or greater than 10,000 barrels of non-crude oil?..... | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

- c) Will you be operating facilities on the land or water for the exploration or production of hydrocarbons? Yes No

If you answered "NO" to ALL questions in this section, continue to next section.
 If you answered "YES" to ANY of these questions, contact the DEC office nearest you for information and application forms. Please be advised that all new DEC permits and approvals require a 30-day public notice period. DEC Pesticide permits take effect no sooner than 40 days after the permit is issued.

Based on your discussion with DEC, please complete the following:
 Types of project approvals or permits needed _____ Date application submitted _____

9. Does your project qualify for a general permit for wastewater or solid waste?.....
Note: A general permit is an approval issued by DEC for certain types of routine activities.

If you answered "YES" to any questions in this section and are not applying for DEC permits, indicate reason:
 _____ (DEC contact) told me on _____ that no DEC approvals are required on this project because _____
 Other: _____

■ DEPARTMENT OF FISH AND GAME (DFG) APPROVALS

1. Is your project located in a designated State Game Refuge, Critical Habitat Area or State Game Sanctuary? Yes No
2. Does your project include the construction/operation of a salmon hatchery?
3. Does your project affect, or is it related to, a previously permitted salmon hatchery?.....
4. Does your project include the construction of an aquatic farm?.....

If you answered "NO" to ALL questions in this section, continue to next section.
 If you answered "Yes" to ANY questions under 1-4, contact the DFG Commercial Fisheries Division headquarters for information and application forms

Based on your discussion with DFG, please complete the following:
 Types of project approvals or permits needed _____ Date application submitted _____

If you answered "YES" to any questions in this section and are not applying for DFG permits, indicate reason:
 _____ (DFG contact) told me on _____ that no DFG approvals are required on this project because _____
 Other: _____

DEPARTMENT OF NATURAL RESOURCES (DNR) APPROVALS

1. Is the proposed project on State-owned land or water or will you need to cross State-owned land for access? ("Access" includes temporary access for construction purposes. *Note: In addition to State-owned uplands, the State owns almost all land below the ordinary high water line of navigable streams, rivers and lakes, and below the mean high tide line seaward for three miles.*)
 - a) Is this project for a commercial activity?
 2. Is the project on Alaska Mental Health Trust land (AMHT) or will you need to cross AMHT land? *Note: Alaska Mental Health Trust land is not considered State land for the purpose of ACMP reviews.*
 3. Do you plan to dredge or otherwise excavate/remove materials on State-owned land?
 Location of dredging site if different than the project site: _____
 Township _____ Range _____ Section _____ Meridian _____ USGS Quad Map _____
 4. Do you plan to place fill or dredged material on State-owned land?
 Location of fill disposal site if other than the project site: _____
 Township _____ Range _____ Section _____ Meridian _____ USGS Quad Map _____
 Source is on: State Land Federal Land Private Land Municipal Land
 5. Do you plan to use any of the following State-owned resources:
 Timber: Will you be harvesting timber? Amount: _____
 Materials such as rock, sand or gravel, peat, soil, overburden, etc.:
 Which material? _____ Amount: _____
 Location of source: Project site Other, describe: _____
 Township _____ Range _____ Section _____ Meridian _____ USGS Quad Map _____
- | | | |
|--|------------|-----------|
| | Yes | No |
|--|------------|-----------|
6. Are you planning to divert, impound, withdraw, or use any fresh water, except from an existing public water system or roof rain catchment system (regardless of land ownership)?
 Amount (maximum daily, not average, in gallons per day): _____
 Source: _____ Intended Use: _____
 If yes, will your project affect the availability of water to anyone holding water rights to that water? .
 7. Will you be building or altering a dam (regardless of land ownership)?
 8. Do you plan to drill a geothermal well (regardless of land ownership)?
 9. At any one site (regardless of land ownership), do you plan to do any of the following?
 Mine five or more acres over a year's time
 Mine 50,000 cubic yards or more of materials (rock, sand or gravel, soil, peat, overburden, etc.) over a year's time
 Have a cumulative unreclaimed mined area of five or more acres
 If yes to any of the above, contact DNR about a reclamation plan.
 If you plan to mine less than the acreage/amount stated above and have a cumulative unreclaimed mined area of less than five acres, do you intend to file a voluntary reclamation plan for approval?
 10. Will you be exploring for or extracting coal?
 11. a) Will you be exploring for or producing oil and gas?
 b) Will you be conducting surface use activities on an oil and gas lease or within an oil and gas unit?
 12. Will you be investigating, removing, or impacting historical or archaeological or paleontological resources (anything over 50 years old) on State-owned land?

13. Is the proposed project located within a known geophysical hazard area?

Note: 6 AAC 80.900(9) defines geophysical hazard areas as "those areas which present a threat to life or property from geophysical or geological hazards, including flooding, tsunami run-up, storm surge run-up, landslides, snowslides, faults, ice hazards, erosion, and littoral beach process." "known geophysical hazard area" means any area identified in a report or map published by a federal, state, or local agency, or by a geological or engineering consulting firm, or generally known by local knowledge, as having known or potential hazards from geologic, seismic, or hydrologic processes.

14. Is the proposed project located in a unit of the Alaska State Park System?

15. Will you be working in, removing water or material from, or placing anything in, a stream, river or lake? (This includes work or activities below the ordinary high water mark or on ice, in the active flood plain, on islands, in or on the face of the banks, or, for streams entering or flowing through tidelands, above the level of mean lower low tide.)
Note: If the proposed project is located within a special flood hazard area, a floodplain development permit may be required. Contact the affected city or borough planning department for additional information and a floodplain determination.)

Name of waterbody: _____

16. Will you do any of the following:.....

Please indicate below:

- Build a dam, river training structure, other instream impoundment, or weir
- Use the water
- Pump water into or out of stream or lake (including dry channels)
- Divert or alter the natural stream channel
- Change the water flow or the stream channel
- Introduce silt, gravel, rock, petroleum products, debris, brush, trees, chemicals, or other organic/inorganic material, including waste of any type, into the water
- Alter, stabilize or restore the banks of a river, stream or lake (provide number of linear feet affected along the bank(s))
- Mine, dig in, or remove material, including woody debris, from the beds or banks of a waterbody
- Use explosives in or near a waterbody

- Build a bridge (including an ice bridge)
- Use the stream, lake or waterbody as a road (even when frozen), or cross the stream with tracked or wheeled vehicles, log-dragging or excavation equipment (backhoes, bulldozers, etc.)
- Install a culvert or other drainage structure
- Construct, place, excavate, dispose or remove any material below the ordinary high water of a waterbody
- Construct a storm water discharge or drain into the waterbody
- Place pilings or anchors
- Construct a dock
- Construct a utility line crossing
- Maintain or repair an existing structure
- Use an instream in-water structure not mentioned here

Replacing

If you answered "No" to ALL questions in this section, continue to next section.

If you answered "Yes" to ANY questions under 1-16, contact the Area DNR, office for information and application forms.

Based on your discussion with DNR, please complete the following:

Types of project approvals or permits needed

Date application submitted

If you answered "YES" to any questions in this section and are not applying for DNR permits, indicate reason:

_____ (DNR contact) told me on _____ that no DNR approvals are required on this project because _____

■ **FEDERAL APPROVALS**

Yes No

U.S. Army Corps of Engineers (COE)

1. Will you be dredging or placing structures or fills in any of the following:
- tidal (ocean) waters? streams? lakes? wetlands*? Yes No
- If yes, have you applied for a COE permit? Yes No
- Date of submittal: _____

(Note: Your application for this activity to the COE also serves as application for DEC Water Quality Certification.)

**If you are not certain whether your proposed project is in a wetlands (wetlands include muskegs), contact the COE, Regulatory Branch at (907) 753-2720 for a wetlands determination (outside the Anchorage area call toll free 1-800-478-2712).*

Bureau of Land Management (BLM)

2. Is the proposed project located on BLM land, or will you need to cross BLM land for access? Yes No
- If yes, have you applied for a BLM permit or approval? Yes No
- Date of submittal: _____

U.S. Coast Guard (USCG)

3. a) Will you be constructing a bridge or causeway over tidal (ocean) waters, or navigable rivers, streams or lakes? Yes No
- b) Does your project involve building an access to an island? Yes No
- c) Will you be siting, constructing, or operating a deepwater port? Yes No
- If yes, have you applied for a USCG permit? Yes No
- Date of submittal: _____

U.S. Environmental Protection Agency (EPA)

4. a) Will the proposed project have a discharge to any waters? Yes No
- b) Will you be disposing of sewage sludge (contact EPA at 206-553-1941)? Yes No
- If you answered yes to a) or b), have you applied for an EPA National Pollution Discharge Elimination System (NPDES) permit? Yes No
- Date of submittal: _____
- (Note: For information regarding the need for an NPDES permit, contact EPA at (800) 424-4372.)*
- c) Will construction of your project expose 5 or more acres of soil? *(This applies to the total amount of land disturbed, even if disturbance is distributed over more than one season, and also applies to areas that are part of a larger common plan of development or sale.)* Yes No
- d) Is your project an industrial facility which will have stormwater discharge which is directly related to manufacturing, processing, or raw materials storage areas at an industrial plant? Yes No
- If you answered yes to c) or d), your project may require an NPDES Stormwater permit. Contact EPA at 206-553-8399.

Federal Aviation Administration (FAA)

5. a) Is your project located within five miles of any public airport? Yes No
- b) Will you have a waste discharge that is likely to decay within 5,000 feet of any public airport? ... Yes No
- If yes, please contact the Airports Division of the FAA at (907) 271-5444.

Federal Energy Regulatory Commission (FERC)

6. a) Does the project include any of the following:
- 1) a non-federal hydroelectric project on any navigable body of water Yes No
- 2) a location on federal land (including transmission lines) Yes No
- 3) utilization of surplus water from any federal government dam Yes No
- b) Does the project include construction and operation, or abandonment of natural gas pipeline facilities under sections (b) and (c) of the Federal Power Act (FPA)? Yes No



© 2007 Europa Technologies
Image © 2007 DigitalGlobe
© 2007 Navteq

Pointer: 60°21'28.86" N 151°17'08.33" W elev. 26 ft

Streaming ||||| 100%

Eye alt 29050 ft

